

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Code:** Complex Diesel Conditioner
- **Article number:** XP0003
- **Manufacturer/Supplier:** -
- **Further information obtainable from:** Product safety department.

2 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

• **Dangerous components:**

CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light Xn; R 65-66	25-50%
	2-ethylhexyl nitrate Xn, N; R 20-51/53-65	10-25%
	alkylaminoester Xi, N; R 38-41-43-51/53	2.5-10%
	alkylalcohol Xi; R 36/38-52/53	2.5-10%
	petroleumnafta Xn, N; R 10-36/38-51/53-65	= < 2.5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Hazard description:**



Xn Harmful

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 36 Irritating to eyes.

R 43 May cause sensitisation by skin contact.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First-aid measures

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 2)

GB

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

Code: **Complex Diesel Conditioner**

(Contd. of page 1)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.

(Contd. on page 3)

GB

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

Code: **Complex Diesel Conditioner**

(Contd. of page 2)

*Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***• Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***• Protection of hands:**

Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***• Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***• Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***• Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

• General Information

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic

• Change in condition**Melting point/Melting range:** Undetermined.**Boiling point/Boiling range:** 190°C**• Flash point:** 75°C**• Ignition temperature:** 200°C**• Self-igniting:** Product is not selfigniting.**• Danger of explosion:** Product does not present an explosion hazard.**• Explosion limits:****Lower:** 0.5 Vol %

(Contd. on page 4)

GB

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

Code: Complex Diesel Conditioner

(Contd. of page 3)

Upper:	6.5 Vol %
· Vapour pressure at 20°C:	2 hPa
· Density at 20°C:	0 g/cm ³
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Solvent content:	
Organic solvents:	0.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

13 Disposal considerations

- **Product:**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)

GB

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

Code: Complex Diesel Conditioner

(Contd. of page 4)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



- **ADR/RID class:** 8 Corrosive substances.
- **Danger code (Kemler):** 86
- **UN-Number:** 2922
- **Packaging group:** III
- **Hazard label** 8+6.1
- **Description of goods:** 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (alkylaminoester, 2-ethylhexyl nitrate)

· Maritime transport IMDG:



- **IMDG Class:** 8
- **UN Number:** 2922
- **Label** 8+6.1
- **Packaging group:** III
- **EMS Number:** F-A,S-B
- **Marine pollutant:** No
- **Proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (alkylaminoester, 2-ethylhexyl nitrate)

· Air transport ICAO-TI and IATA-DGR:



- **ICAO/IATA Class:** 8
- **UN/ID Number:** 2922
- **Label** 8+6.1
- **Packaging group:** III
- **Proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (alkylaminoester, 2-ethylhexyl nitrate)

15 Regulatory information

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 6)

GB

Material Safety Data Sheet

According to 91/155 EEC

Printing date 09.12.2004

Revision 08.12.2004

Code: Complex Diesel Conditioner

(Contd. of page 5)

• **Code letter and hazard designation of product:**



Xn Harmful

• **Hazard-determining components of labelling:**

Distillates (petroleum), hydrotreated light
2-ethylhexyl nitrate
alkylaminoester

• **Risk phrases:**

36 Irritating to eyes.
43 May cause sensitisation by skin contact.
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65 Harmful: may cause lung damage if swallowed.

• **Safety phrases:**

2 Keep out of the reach of children.
13 Keep away from food, drink and animal feedingstuffs.
24/25 Avoid contact with skin and eyes.
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
37 Wear suitable gloves.
46 If swallowed, seek medical advice immediately and show this container or label.

• **National regulations:**

• **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant R-phrases**

10 Flammable.
20 Harmful by inhalation.
36/38 Irritating to eyes and skin.
38 Irritating to skin.
41 Risk of serious damage to eyes.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65 Harmful: may cause lung damage if swallowed.
66 Repeated exposure may cause skin dryness or cracking.

• **Department issuing MSDS:** -

• **Contact:** -

GB