

# Material Safety Data Sheet according to 91/155 EEC

## *Xenum GP 10W40*

06/12/2004

### **1 Identification of the substance/preparation and of the company/undertaking**

- Product details
- Code: A3255
- Manufacturer/Supplier: SWF nv Visserstraat 10 B31 B1800Vilvoorde Belgium
- Further information obtainable from: Product safety department.

### **2 Composition/information on ingredients:**

- Chemical characterization
- Description: Mixture of substances listed below with nonhazardous additions.  
Dangerous components: polyolefin polyamine succinimide, polyol (53) =< 2.5 % R 53 calcium branched Chain alkyl phenate sulphide (53) =< 2.5 % R 53
- Additional information: For the wording of the listed risk phrases refer to section 16.

### **3 Hazards identification**

- Hazard description: Not applicable.
- Information concerning particular hazards for human and environment:  
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### **4 First-aid measures**

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

### **5 Fire-fighting measures**

- Suitable extinguishing agents: CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- Protective equipment: No special measures required.

### **6 Accidental release measures**

- Person-related safety precautions: Not required.
- Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Additional information: No dangerous substances are released.

### **7 Handling and storage**

- Handling:
- Information for safe handling: No special measures required.
- Information about fire - and explosion protection: No special measures required.

# Material Safety Data Sheet according to 91/155 EEC

## *Xenum GP 10W40*

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

### **8 Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not required.
- Protection of hands: Oil resistant gloves
- Material of gloves Nitrile rubber, NBR
- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Goggles recommended during refilling

### **9 Physical and chemical properties**

- General Information
- Form: Fluid
- Colour: Light brown
- Odour: Characteristic
- Value/Range Unit Method
- Change in condition
- Melting point/Melting range: Undetermined.
- Boiling point/Boiling range: Undetermined.
- Flash point: > 100 ° C
- Ignition temperature: 200 ° C
- Self igniting: Product is not self igniting.
- Danger of explosion: Product does not present an explosion hazard.
- Density: 15 °C, kg/l 0,875
- Solubility in / Miscibility with
- water: Not miscible or difficult to mix.
- Solvent content:
- Organic solvents: 0.0 %

### **10 Stability and reactivity**

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Dangerous reactions No dangerous reactions known.
- Dangerous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.

# Material Safety Data Sheet according to 91/155 EEC

## *Xenum GP 10W40*

- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### **12 Ecological information**

- General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

### **13 Disposal considerations**

- Product:
- Recommendation Smaller quantities can be disposed of with household waste.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

### **14 Transport information**

- Land transport ADR/RID (cross-border)
- ADR/RID class: -
- Maritime transport IMDG:
- IMDG Class: -
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -

### **15 Regulatory information**

- Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals.  
The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).
- Special labelling of certain preparations: Contains calcium long chain alkarylsulphonate. May produce an allergic reaction.
- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant R-phrases: 53 May cause long-term adverse effects in the aquatic environment.
- Department issuing MSDS: Research and development.