

Xenum Restop

Restop Coolant Anti Leak

SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Preparation:

Name: Restop Coolant Anti Leak
Product code:

Company/business:

Registered company name: SWF nv
Address: Vissersstraat 10 b31
Telephone: +32 2 306 90 99.
Emergency telephone No.: +33 (0)1 45 42 59 59.
Association/Organisation: INRS / ORFILA <http://www.centres-antipoison.net/index.html>.

Normal use:

Seals cracks and leaks in the radiator and the engine block.
Prevents accidental infiltration of water into the engine.
Compatible with all usual antifreezers and coolants.
Keeps the water pump running smoothly.

2 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous substances present on their own.

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)
This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold.

INDEX 603-117-00-0 CAS 67-63-0 CE 200-661-7 PROPAN-2-OL | Concentration $\geq 2.50\%$ and $< 10.00\%$.
Symbol: Xi F R:
11-36-67

Other substances with occupational exposure limits.

No known substance in this category present.

3 - IDENTIFICATION OF HAZARDS

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site
This preparation is not classed as hazardous to health by directive 1999/45/EC.

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.
NEVER induce swallowing in an unconscious person.

5 - FIRE-FIGHTING MEASURES

Not relevant.

6 - ACCIDENTAL RELEASE MEASURES

Safety precautions:

Consult the safety measures listed under headings 7 and 8.

Environmental safety precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatom earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Cleaning methods:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Fire prevention:

Prevent access by unauthorised personnel.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Technical measures.

Personnel shall wear regularly laundered overalls.

Exposure limits per INRS ND 2098-174-99 and ND 2114-176-99:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
67-63-0	-	-	400	980	-	84

Exposure limits per 2000/39/EC and 98/24/EC:EC

VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:
----------	------------	----------	------------	--------

9 - PHYSICAL AND CHEMICAL PROPERTIES

Density : = 1

Acid/base character of preparation : neutral.

Solubility of preparation in water : Dilutable.

Vapour tension at 50°C of volatile constituents : not specified.

Physical state : fluid liquid

Flash point interval : not relevant.

When a pH measure is possible, it has a value of : not stated.

Self-ignition temperature : not relevant.

Decomposition temperature : not specified.

Melting temperature interval : not specified.

Average distillation temperature of solvents contained : not relevant.

10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet,

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -
Page :3/3 SAFETY DATA SHEET (91/155/EEC - ISO 11014-1)
Revision N°2 (29-09-2003)
Restop Coolant Anti Leak

11 - TOXICOLOGICAL INFORMATION

The preparation contains no substance classed as hazardous per directive 67/548/EEC.

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.
Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport

15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations
In addition directive 2001/59/EC with the 28° adaptation of directive 67/548/EC (Hazardous substances) have been taken into account.

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.
It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.
The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 2:

R 11 Highly flammable.
R 36 Irritating to eyes.
R 67 Vapours may cause drowsiness and dizziness.